CATS University Foundation Programme

UFP Chemistry Data Booklet

Periodic Table

The Periodic Table of the Elements

Key
atomic number
Symbol
name
relative atomic mass

(1)	(2)											(3)	(4)	(5)	(6)	(7)	(0)
1																	**18**
1 **H** hydrogen 1.0	**2**											**13**	**14**	**15**	**16**	**17**	2 **He** helium 4.0
3 **Li** lithium 6.9	4 **Be** beryllium 9.0											5 **B** boron 10.8	6 **C** carbon 12.0	7 **N** nitrogen 14.0	8 **O** oxygen 16.0	9 **F** fluorine 19.0	10 **Ne** neon 20.2
11 **Na** sodium 23.0	12 **Mg** magnesium 24.3	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	13 **Al** aluminium 27.0	14 **Si** silicon 28.1	15 **P** phosphorus 31.0	16 **S** sulfur 32.1	17 **Cl** chlorine 35.5	18 **Ar** argon 39.9
19 **K** potassium 39.1	20 **Ca** calcium 40.1	21 **Sc** scandium 45.0	22 **Ti** titanium 47.9	23 **V** vanadium 50.9	24 **Cr** chromium 52.0	25 **Mn** manganese 54.9	26 **Fe** iron 55.8	27 **Co** cobalt 58.9	28 **Ni** nickel 58.7	29 **Cu** copper 63.5	30 **Zn** zinc 65.4	31 **Ga** gallium 69.7	32 **Ge** germanium 72.6	33 **As** arsenic 74.9	34 **Se** selenium 79.0	35 **Br** bromine 79.9	36 **Kr** krypton 83.8
37 **Rb** rubidium 85.5	38 **Sr** strontium 87.6	39 **Y** yttrium 88.9	40 **Zr** zirconium 91.2	41 **Nb** niobium 92.9	42 **Mo** molybdenum 95.9	43 **Tc** technetium	44 **Ru** ruthenium 101.1	45 **Rh** rhodium 102.9	46 **Pd** palladium 106.4	47 **Ag** silver 107.9	48 **Cd** cadmium 112.4	49 **In** indium 114.8	50 **Sn** tin 118.7	51 **Sb** antimony 121.8	52 **Te** tellurium 127.6	53 **I** iodine 126.9	54 **Xe** xenon 131.3
55 **Cs** caesium 132.9	56 **Ba** barium 137.3	• 57–71 lanthanoids	72 **Hf** hafnium 178.5	73 **Ta** tantalum 180.9	74 **W** tungsten 183.8	75 **Re** rhenium 186.2	76 **Os** osmium 190.2	77 **Ir** iridium 192.2	78 **Pt** platinum 195.1	79 **Au** gold 197.0	80 **Hg** mercury 200.6	81 **Tl** thallium 204.4	82 **Pb** lead 207.2	83 **Bi** bismuth 209.0	84 **Po** polonium	85 **At** astatine	86 **Rn** radon
87 **Fr** francium	88 **Ra** radium	• • 89–103 actinoids	104 **Rf** rutherfordium	105 **Db** dubnium	106 **Sg** seaborgium	107 **Bh** bohrium	108 **Hs** hassium	109 **Mt** meitnerium	110 **Ds** darmstadtium	111 **Rg** roentgenium	112 **Cn** copernicium		114 **Fl** flerovium		116 **Lv** livermorium		

• 57 **La** lanthanum 138.9	58 **Ce** cerium 140.1	59 **Pr** praseodymium 140.9	60 **Nd** neodymium 144.2	61 **Pm** promethium 144.9	62 **Sm** samarium 150.4	63 **Eu** europium 152.0	64 **Gd** gadolinium 157.2	65 **Tb** terbium 158.9	66 **Dy** dysprosium 162.5	67 **Ho** holmium 164.9	68 **Er** erbium 167.3	69 **Tm** thulium 168.9	70 **Yb** ytterbium 173.0	71 **Lu** lutetium 175.0
• • 89 **Ac** actinium	90 **Th** thorium 232.0	91 **Pa** protactinium	92 **U** uranium 238.1	93 **Np** neptunium	94 **Pu** plutonium	95 **Am** americium	96 **Cm** curium	97 **Bk** berkelium	98 **Cf** californium	99 **Es** einsteinium	100 **Fm** fermium	101 **Md** mendelevium	102 **No** nobelium	103 **Lr** lawrencium

Important Constants & Conversion Factors

- Molar volume of a gas = 24.0 $dm^3\ mol^{-1}$ at RTP
- Avogadro constant, $N_A = 6.02 \times 10^{23}\ mol^{-1}$
- Gas constant, $R = 8.314\ J\ mol^{-1}\ K^{-1}$
- Specific heat capacity of water, $c = 4.18\ J\ g^{-1}\ K^{-1}$
- Ionic product of water, $K_w = 1.00 \times 10^{-14}\ mol^2\ dm^{-6}$ at 298 K
- Temperature in K = °C + 273.15
- 1 tonne = 10^6 g

Important Equations

- Ideal Gas Equation: $pV = n R T$
- Half-life: $t_{½} = \ln 2/k$
- Arrhenius equation: $k = A\ e^{-Ea/RT}$ or $\ln k = -E_a/RT + \ln A$
- Energetics: $q = m\ c\ \Delta T$
- $pH = -\log_{10}[H+]$

Table of Electronegatives

1																	18
H 2.1	2											13	14	15	16	17	
Li 1.0	**Be** 1.5											**B** 2.0	**C** 2.5	**N** 3.0	**O** 3.5	**F** 4.0	
Na 0.9	**Mg** 1.2	3	4	5	6	7	8	9	10	11	12	**Al** 1.5	**Si** 1.8	**P** 2.1	**S** 2.5	**Cl** 3.0	
K 0.8	**Ca** 1.0	**Sc** 1.3	**Ti** 1.5	**V** 1.6	**Cr** 1.6	**Mn** 1.5	**Fe** 1.8	**Co** 1.9	**Ni** 1.9	**Cu** 1.9	**Zn** 1.6	**Ga** 1.6	**Ge** 1.8	**As** 2.0	**Se** 2.4	**Br** 2.8	
Rb 0.8	**Sr** 1.0	**Y** 1.2	**Zr** 1.4	**Nb** 1.6	**Mo** 1.8	**Tc** 1.9	**Ru** 2.2	**Rh** 2.2	**Pd** 2.2	**Ag** 1.9	**Cd** 1.7	**In** 1.7	**Sn** 1.8	**Sb** 1.9	**Te** 2.1	**I** 2.5	
Cs 0.7	**Ba** 0.9	**La** 1.0	**Hf** 1.3	**Ta** 1.5	**W** 1.7	**Re** 1.9	**Os** 2.2	**Ir** 2.2	**Pt** 2.2	**Au** 2.4	**Hg** 1.9	**Tl** 1.8	**Pb** 1.9	**Bi** 1.9	**Po** 2.0	**At** 2.2	
Fr 0.7	**Ra** 0.9																

Table of Characteristic Infrared Absorption Bands

Functional Group	Position of Band (cm^{-1})	Intensity of Absorption
Alkanes:		
C—H	2850 – 2960	Medium – Strong
Haloalkanes:		
C—X [X = I, Br, Cl]	500 – 800	Strong
Alkenes:		
C—H	3020 – 3100	Medium
C=C	1640 – 1680	Medium
Alcohols:		
C—O	1050 – 1150	Strong
O—H	3200 – 3600	Strong, broad
Carbonyl compounds*:		
C=O	1670 – 1780	Strong
Carboxylic acids:		
O—H	2500 – 3100	Strong, very broad

* aldehydes, ketones, carboxylic acids and esters.